1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	BRIGHT GOLDBC09720000Paint and coatings application.Any that differs from the recommended use.Seymour of Sycamore917 Crosby AvenueSycamore, IL 60178 USAphone: 815-895-9101www.seymourpaint.com1-800-255-3924
2 Hazard(s) identification	
Eye Irrit. 2AH319 Causes serSTOT SE 3H336 May cause	mmable aerosol. s under pressure; may explode if heated.
Signal word Hazard statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements	Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients Chemical characterization: Mixtures Chemical Description: This production

Chemical C	escription: Mixtures	This product is a mixture of the substances listed below with nonhazardous additions.	
	components:		
67-64-1	Acetone		25-50%
74-98-6	propane		15-25%
110-19-0	Isobutyl Acetate		10-15%
106-97-8	n-butane		5-10%
108-65-6	PM acetate		1-5%
108-10-1	methyl isobutyl ketone		1-5%
107-87-9	Methyl Propyl Ketone		1-5%
13463-67-7	titanium dioxide		1-5%
2807-30-9	Glycol Ether EP		1-5%

4 First-aid measures

After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse mouth with water. Do not induce vomiting.

Dizziness

(Contd. on page 2)

Printing date 08/28/2020

Page 2/4

	GHT GOLD	
Indication of attention nee	any immediate medical ded:	(Contd. of page No further relevant information available.
5 Fire-fighting	neasures	
Extinguishin Special haza Protective ec	g agents: rds:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. No further relevant information available.
firefighters:		A respiratory protective device may be necessary.
	elease measures	
	cautions, protective nd emergency	
procedures:		Use respiratory protective device against the effects of fumes/dust/aerosol.
Methods and containment	material for and cleaning up:	Absorb liquid components with liquid-binding material.
Handling ar		Line only in well wentilated areas
Storage requ	for safe handling irements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing condition Store locked up.
B Exposure c	ontrols/personal prot	ection
Components	with limit values that re	equire monitoring at the workplace:
67-64-1 Acet		
PEL (USA)	Long-term value: 2400 n	
REL (USA)	Long-term value: 590 mg	
TLV (USA)	Short-term value: 1187 r	ng/m³, 500 ppm
	Long-term value: 594 mg BEI	g/m°, 250 ppm
74-98-6 prop		
PEL (USA)	Long-term value: 1800 n	na/m³, 1000 ppm
REL (USA)	Long-term value: 1800 n	
TLV (USA)	refer to Appendix F inTL	
110-19-0 Isok		
PEL (USA)	Long-term value: 700 mg	g/m³, 150 ppm
REL (USA)	Long-term value: 700 mg	g/m ³ , 150 ppm
TLV (USA)	Short-term value: 712 m	g/m³, 150 ppm
, , ,	Long-term value: 238 m	g/m³, 50 ppm
106-97-8 n-bi		
REL (USA)	Long-term value: 1900 m	
TLV (USA)	Short-term value: 2370 r	ng/m³, 1000 ppm
400 05 0 011	(EX)	
108-65-6 PM	acetate Long-term value: 50 ppn	2
	Long-term value: 50 ppn hyl isobutyl ketone	11
PEL (USA)	Long-term value: 410 mg	a/m³ 100 ppm
REL (USA)	Short-term value: 300 m	
	Long-term value: 205 mg	g/m ³ , 50 ppm
TLV (USA)	Short-term value: 307 m	g/m³, 75 ppm
. ,	Long-term value: 82 mg/	ím³, 20 ppm
407 07 0 11 1	BEI	
	hyl Propyl Ketone	-/
	Long-term value: 700 mg	
REL (USA)	Long-term value: 530 mg Short-term value: 529 m	
TIV//IICA		• • • •
TLV (USA)	vith biological limit valu	les:
Ingredients v		
Ingredients v 67-64-1 Acet		
Ingredients v 67-64-1 Acete BEI (USA) 50) mg/L	
Ingredients v 67-64-1 Aceto BEI (USA) 50 M		
Ingredients v 67-64-1 Acete BEI (USA) 50 M Ti) mg/L edium: urine	pecific)

Page 3/4

Trade name: BRIGHT GOLD

	(Contd. of page 2)
108-10-1 methyl isobutyl ketone	
BEI (USA) 1 mg/L	
` Medium: urine	
Time: end of shift	
Parameter: MIBK	
Hygienic protection:	Immediately remove all soiled and contaminated clothing. Wash hands after use. Avoid contact with the eyes and skin. Do not eat or drink while working.
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.
Hand protection:	Nitrile gloves. The glove material must be impermeable and resistant to the substance.
Eye protection:	Tightly sealed goggles

9 Physical and chemical properties

Appearance:	Aerosol.
Odor:	Aromatic
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range	Undetermined.
Boiling point:	-44.5 °C (-48.1 °F)
Flash point:	-19 °C (-2.2 °F)
Flammability (solid, gas):	Flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Lower Explosion Limit:	1.7 Vol %
Upper Explosion Limit:	10.9 Vol %
Vapor pressure:	Not determined.
Relative Density:	Between 0.77 and 0.85 (Water equals 1.00)
Vapor density	Not determined.
Evaporation rate	Not applicable.
Partition coefficient: n-octonal/v	vater: Not determined.
Solubility:	Not determined.
Viscosity:	Not determined.
Water:	0.0 %

10 Stability and reactivity	
Reactivity:	Stable at normal temperatures.
Conditions to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures.
Chemical stability:	Not ^f ully evaluated.
Possibility of hazardous reactions:	No dangerous reactions known.
Incompatible materials:	No further relevant information available.
Hazardous decomposition:	No dangerous decomposition products known.

11 Toxicological information

- · · · J		
LD/LC50 va	alues tha	t are relevant for classification:
110-19-0 ls	obutyl A	cetate
Oral L	_D50	4,763 mg/kg (rbt)
108-65-6 PI	M acetate)
Oral L	_D50	8,500 mg/kg (rat)
Inhalative L	_C50/4 h	35.7 mg/l (rat)
108-10-1 m	ethyl iso	butyl ketone
Oral L	_D50	2,100 mg/kg (rat)
Dermal L	_D50	16,000 mg/kg (rab)
Inhalative L	_C50/4 h	8.3-16.6 mg/l (rat)
13463-67-7	titanium	dioxide
Oral L	_D50	>20,000 mg/kg (rat)
Dermal L	_D50	>10,000 mg/kg (rbt)
		>6.82 mg/l (rat)
Information Skin effects	n on toxio s:	cological effects: No data available. No irritant effect.

Printing date 08/28/2020

Revised On 08/28/2020

Page 4/4

Trade name: BRIGHT GOLD	
Eye effects: Sensitization:	Irritating effect. No sensitizing effects known.
12 Ecological information	
Aquatic toxicity: Persistence and degradability: Other information:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents.
Bioaccumulative potential: Mobility in soil: Other adverse effects:	No further relevant information available. No further relevant information available. No further relevant information available.
13 Disposal considerations	
Dispose of in accordance with local,	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be or cut empty containers with electric or gas torches. Completely empty cans should be recycled.
14 Transport information	
UN-Number DOT DOT	UN1950 N/A Consumer Commodity ORM-D Aerosols, flammable
ADR Transport hazard class(es): Class	1950 AEROSOLS 2.1 Warning: Gases
Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation":	F-D,S-U UN 1950 AEROSOLS, 2.1
15 Regulatory information	
SARA Section 355 (extremely haza None of the ingredients in this produ	
SARA Section 313 (Specific toxic 108-10-1 methyl isobutyl ketone	
Toxic Substances Control Act (TSCA):	All hazardous ingredients are found on the inventory list of substances.
(TSCA): Canadian Domestic Substances L (DSL):	
(TSCA): Canadian Domestic Substances L	ist
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer:
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to caus 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to caus 108-10-1 methyl isobutyl ketone EPA:	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer:
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA: 67-64-1 Acetone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer: birth defects or reproductive harm:
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA:	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer:
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA: 67-64-1 Acetone 110-19-0 Isobutyl Acetate 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer: e birth defects or reproductive harm:
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA: 67-64-1 Acetone 110-19-0 Isobutyl Acetate 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer: e birth defects or reproductive harm: I D I
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA: 67-64-1 Acetone 110-19-0 Isobutyl Acetate 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer: birth defects or reproductive harm:
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA: 67-64-1 Acetone 110-19-0 Isobutyl Acetate 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer: e birth defects or reproductive harm: I D I
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA: 67-64-1 Acetone 110-19-0 Isobutyl Acetate 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer: e birth defects or reproductive harm: I D I
(TSCA): Canadian Domestic Substances L (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica 108-10-1 methyl isobutyl ketone 13463-67-7 titanium dioxide 100-41-4 ethyl benzene Prop 65 chemicals known to cause 108-10-1 methyl isobutyl ketone EPA: 67-64-1 Acetone 110-19-0 Isobutyl Acetate 108-10-1 methyl isobutyl ketone	ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer: e birth defects or reproductive harm: I D I